

# 2014 **PRODUCT CATALOG**



**QUALITY. POWER. PERFORMANCE.**





**SC3265**

## TABLE OF CONTENTS

Chipper/Shredders.....	<b>3-5</b>
Chipper/Shredder/Blowers .....	<b>6</b>
Chippers .....	<b>7-11</b>
PTO Chippers .....	<b>12-16</b>
Skid Steer Chippers.....	<b>17</b>
Log Splitters.....	<b>18-19</b>
Wheeled Trimmers.....	<b>20-21</b>
Stump Grinder .....	<b>22</b>
Wheeled Vacuums .....	<b>23</b>
Debris Loaders.....	<b>24-25</b>
FAQ.....	<b>26</b>
ECHO Bear Cat Gear .....	<b>27</b>
Specs .....	<b>28-30</b>
Parts & Accessories.....	<b>31</b>

## REDUCE, REUSE, RECYCLE

ECHO Bear Cat proudly manufactures a vast selection of Outdoor Power Equipment that can handle a variety of wood material and take care of leaf and grass debris with ease. No matter, if you are a home owner, a hobby farmer, a commercial landscaper or just looking for an environmentally friendly way to dispose of wood and yard debris, ECHO Bear Cat machines will be able to fit your exact needs and get the job done.

Burning yard waste releases high amounts of carbon dioxide and releases heat into the air contributing to pollution. ECHO Bear Cat is aware that providing a clean air option is not only necessary, but is a regulatory requirement in many communities. Municipalities, park and recreation boards and city regulations ban the use of burning yard waste. By utilizing an ECHO Bear Cat machine, biodegradable material is produced and used for mulch and compost, adding vital nutrients and minerals back to the earth.

Stay connected:



## ECHO BEAR CAT WARRANTY WE'VE GOT YOU COVERED!

**3 YEAR CONSUMER\*, 1 YEAR COMMERCIAL,  
6 MONTH RENTAL**

NOTE: "Consumer" defined as: complete unit for residential or non-income producing use.

"Commercial" defined as: complete unit for commercial, institutional, agricultural, horticultural or income producing use.

"Rental" defined as: complete unit for rental purposes to produce income.

\*Models SC2170, SC2206 & SC3206 are classified as Consumer grade products and will not qualify for warranty coverage if used for Commercial or Rental purposes.

ENGINE WARRANTY: For Engine Warranty information or service needs regarding the engine of your machine, record the serial number of the engine and refer to the Engine Owners Manual for terms and conditions of the manufacturer or see your nearest dealer.

\*U.S. and Canada only.





# CHIPPER/SHREDDERS



## THESE MACHINES ARE BUILT TO LAST

ECHO Bear Cat manufactures high quality, reliable Chipper/Shredders that will efficiently reduce yard debris, all while helping you be kind to the environment. ECHO Bear Cat Chippers/Shredders work well for brush and tree pruning, yard clean up, brush and hedge up-keep and creating compost and mulch.

- **2" or 3" Chipping Capacity**
- **Up to 3/4" Shredding Capacity**
- **Large Shredder Chute Designs**
- **Choose Your Chip Size With Optional Size Discharge Screens**
- **Easy Maneuverability**
- **Easy Serviceability**
- **Optional Equipment Available**

For a complete list of parts & accessories, see page 31.



**VIDEO ONLINE  
SEE IT IN ACTION!**



**SC3265**





# CHIPPER/SHREDDERS



UP  
TO 2"

## SC2170

- Subaru SP 170cc
- 2" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 4 Reversible Shredding Knives
- 4 Additional Knives Optional
- Direct Drive Rotor
- 15 lb. Rotor Assembly Operates at 3,800 rpm

## 2" DEBRIS SCREENS

Wet  
Debris



1.13"  
Standard



.75"  
Fine



UP  
TO 3"

## SC3206

- Briggs & Stratton OHV 206cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 8 Reversible Shredding Knives
- Single Belt Driven Rotor
- 21 lb. Rotor Assembly Operates at 3,600 rpm



UP  
TO 3"

## SC3265

- Subaru EX 265cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 12 Reversible Shredding Knives
- Dual Belt Driven Rotor
- 27 lb. Rotor Assembly Operates at 3,800 rpm

## 3" DEBRIS SCREENS

Fine  
.375"



Medium  
.75"



Standard  
Coarse  
1.375"



Wet  
Debris



A complete list of  
PARTS AND ACCESSORIES  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# CHIPPER/SHREDDERS



**3 year\***  
**Consumer**  
**Warranty**  
\*U.S. & Canada Only

**UP TO 3"**

## SC3305 & SC3305E\*

- Briggs & Stratton OHV 305cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 12 Reversible Shredding Knives
- Single Belt Driven Rotor
- 27 lb. Rotor Assembly Operates at 3,600 rpm

\*Refers to electric start model



Model SC3342 shown  
with Road Towable  
Trailer and Optional Blower



SC3265

**UP TO 3"**

## SC3342

- Briggs & Stratton OHV 342cc
- 3" Chipping Capacity
- 3/4" Shredding Capacity
- 2 Reversible Chipping Blades
- 12 Reversible Shredding Knives
- Dual Belt Driven Rotor
- 27 lb. Rotor Assembly Weight Operates at 3,600 rpm



SC3265



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

888-625-4520  
**WWW.BEARCATPRODUCTS.COM**



# CHIPPER/SHREDDER/BLOWER

## SC5720B

### THE MULTI-TASKER

The SC5720B has integrated blower paddles on the rotor for overhead discharge power. It also features a unique screenless shredder system allowing complete control over end product size.

- Choose Your Chip Size with 5 Screenless Shredder Settings
- 36 Shredding Knives
- 4 Reversible Chipper Blades

For a complete list of parts & accessories, see page 31.




#### SC5720B

- Subaru EH 720cc
- 5" Chipping Capacity
- 3/4" Shredding Capacity
- 4 Reversible Chipping Blades
- 36 Shredding Knives
- Double-Banded Belt Driven Rotor
- 360° Rotating Discharge Chute
- 121 lb. Rotor Assembly Operates at 2,200 rpm

#### FEATURING:



**VIDEO ONLINE**  
**SEE IT IN ACTION!**





## MATCH THE MACHINE TO THE JOB AT HAND

Designed and equipped to handle any job.  
ECHO Bear Cat provides the broadest selection  
of chippers in the industry.

- **4" to 9" Chipping Capacity**
- **Hydraulic & Gravity Feed Designs**
- **Solid Welded Steel Construction**
- **Powerful Gas & Diesel Engine Options**
- **Models with Cantilevered Rotor Design**

For a complete list of parts  
& accessories, see page 31.

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty

**VIDEO ONLINE  
SEE IT IN ACTION!**



**CH8993H**





# CHIPPERS

UP TO 4"

## CH4400

- Subaru EX 404cc
- Recoil Start
- 4" Chipping Capacity
- 2 Reversible Chipping Blades
- Gravity Feed
- Double-Banded Belt Driven Rotor
- 14" Cantilever Rotor, 49 lbs.
- 4-Sided Adjustable Anvil
- Collapsible Hitch for Convenient Storage



3 year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

1 year  
Commercial  
Warranty

6 month  
Rental  
Warranty



CH4400



UP TO 5"

## CH5653

- Subaru EH 653cc
- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- Gravity Feed
- Double-Banded Belt Driven Rotor
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



CH5653

A complete list of  
PARTS AND ACCESSORIES  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# CHIPPERS



UP TO 6"

## CH6730H

- Kohler Command PRO 730cc
- 6" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 26" Rotor, 165 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



## TOUGH BLADES!



All ECHO Bear Cat chipping blades are made from heat-treated steel to ensure the sharpest, longest lasting edge possible!



13" WIDE  
Feed Opening

3 year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

1 year  
Commercial  
Warranty

6 month  
Rental  
Warranty

UP TO 6"

## CH611DH

- Kubota Diesel 1.1 Liter
- 6" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 26" Rotor, 165 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



A complete list of  
PARTS AND ACCESSORIES  
is on page 31

\*Batteries are not shipped with Chippers and will need to be purchased separately.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

888-625-4520  
WWW.BEARCATPRODUCTS.COM



# CHIPPERS

UP  
TO 8"

## CH8720iH

- EFI Subaru EH 720cc
- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



Hydraulic jack easily raises and lowers the feed roller

3 year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

1 year  
Commercial  
Warranty

6 month  
Rental  
Warranty



CH8993H



New paddle design for increased performance

UP  
TO 8"

## CH8993H

- Briggs & Stratton Vanguard 993cc
- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



A complete list of  
PARTS AND ACCESSORIES  
is on page 31

\*Batteries are not shipped with Chippers and will need to be purchased separately.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# CHIPPERS

UP  
TO 9"

## CH911DH

- Kubota Diesel 1.1 Liter
- 9" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



**CH922DH**

UP  
TO 9"

## CH922DH

- Kubota Diesel 2.2 Liter
- 9" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil

### FEATURING:



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



Convenient foot pedal  
easily engages belt



C channel frame construction  
for extra strength



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



# PTO MACHINES

## TRACTOR VERSATILITY IS YOURS

Enhance the usage of your tractor by investing in an ECHO Bear Cat PTO Chipper or Chipper/Shredder. You will benefit from the same rugged, reliable features on the engine powered chippers and chipper/shredders.

- **4.5" to 9" Chipping Capacity**
- **Hydraulic & Gravity Feed Designs**
- **Solid Welded Steel Construction**
- **Cat. 1, 3-point Connection From 15-60 h.p. Models**
- **Designed With Professional Grade Standard Features**

For a complete list of parts & accessories, see page 31.

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty

**VIDEO ONLINE  
SEE IT IN ACTION!**



**PTO**



**CH9540H**





## 3-POINT TRACTOR MOUNT CONVENIENCE

Each PTO model features the 3-point hitch mount hook up, which allows for “go anywhere” usability. Tractor owners and operators will be able to take and use any PTO machine more places than a road towable model.



**SC5540**

Shown with optional  
Two-Speed Blower & Vacuum Kit

### CHIPPER/ SHREDDER

UP  
TO 5"

#### SC5540


- 5" Chipping Capacity
- 3/4" Shredding Capacity
- 36 Shredding Knives
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Optional Discharge Screens Available
- 19" Rotor, 112 lbs
- Recommended 25-45 hp at the PTO



Single Speed Blower  
P/N: 70487  
Model: SC5540



Chipper Blade Kit  
P/N: 72493  
Models: SC5540 & SC5540B



Shredder Knives Kit  
P/N: 70972  
Models: SC5540 & SC5540B

UP  
TO 5"

#### SC5540B

- 5" Chipping Capacity
- 3/4" Shredding Capacity
- 36 Shredding Knives
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Screenless Shredder System
- 20.6" Rotor, 145 lbs.
- Recommended 25-45 hp at the PTO

A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31

### CHIPPER/ SHREDDER/ BLOWER



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# PTO MACHINES

UP TO 4.5"

## CH45540

- 4.5" Chipping Capacity
- 2 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Gravity Feed
- 14" Rotor, 49 lbs.
- 4-Sided Adjustable Anvil
- Optional Discharge Chute For Truck Loading
- Recommended 15-28 hp at the PTO



Chipper Blade Kit  
P/N: 76295-00  
Model: CH45540

UP TO 5"

## CH5540

- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- Double-Banded Belt Driven Rotor
- Gravity Feed
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil
- Recommended 25-45 hp at the PTO



CH5540

3 year\*  
Consumer  
Warranty

1 year  
Commercial  
Warranty

6 month  
Rental  
Warranty

A complete list of  
PARTS AND ACCESSORIES  
is on page 31



Now Featuring  
Double-Banded  
Belt Drive



Chipper Blade Kit  
P/N: 72493  
Models: CH5540 & CH5540H



For more information on ECHO Bear Cat products, scan  
this QR code with your smartphone's QR code app.



# PTO MACHINES




## CH5540H

- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- Dual Belt Driven Rotor
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil
- Recommended 25-45 hp at the PTO

### FEATURING:

**HYDRAULIC FEED**



**Auto Feed Kit**  
P/N: 73071  
Model: CH5540H



360° rotating discharge chute is easily adjustable



**CH5540**



## CH8540

- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- Gravity Feed
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Recommended 35-60 hp at the PTO



**Chipper Blade Kit**  
P/N: 76293-00  
Model: CH8540



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

**888-625-4520**  
**WWW.BEARCATPRODUCTS.COM**



# PTO CHIPPERS

UP TO 9"

## CH9540H

- 9" Chipping Capacity
- 4 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Recommended 35-60 hp at the PTO

### FEATURING:


HYDRAULIC FEED

Auto-Feed

3 year\*  
Consumer  
Warranty

1 year  
Commercial  
Warranty

6 month  
Rental  
Warranty



Chipper Blade Kit  
P/N: 76293-00  
Model: CH9540H

UP TO 9"

## CHF9540H

- 9" Chipping Capacity
- 16 Reversible Chipping Blades
- Triple-Banded Belt Driven Rotor
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Recommended 35-60 hp at the PTO

### FEATURING:

HYDRAULIC FEED

Auto-Feed

## The Orchard Chipper

The CHF9540H has 16 blades and is specially designed to produce the smallest end product possible from a large scale chipper.



Low Profile Discharge Chute  
P/N: 74581-00  
Model: CHF9540H.  
Standard on CHF9540H



Chipper Blade Kit (16 blades)  
P/N: 74830-00  
Model: CHF9540H

A complete list of  
PARTS AND ACCESSORIES  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# SKID STEER CHIPPERS




## A PERFECT PARTNER FOR TRACK & SKID STEER LOADERS

ECHO Bear Cat has taken the same robust, hydraulic feed chipper design and given you the ability to use your skid steer hydraulics to power the chipper. Models include a universal attachment platform that can be mounted in two positions giving you the flexibility to operate curb side or forward facing.

UP TO 4.5"

### CH450H

- 4.5" Chipping Capacity
- 2 Reversible Chipping Blades
- Gravity Feed
- 14" Cantilever Rotor, 49 lbs.
- 4-Sided Adjustable Anvil
- Min. 11 gpm, Max. 15 gpm



Chipper Blade Kit  
P/N: 76295-00  
Model: CH450H

UP TO 5"

### CH500H

- 5" Chipping Capacity
- 4 Reversible Chipping Blades
- 20" Rotor, 140 lbs.
- 4-Sided Adjustable Anvil
- Universal Attachment System
- Min. 15 gpm, Max. 22 gpm



Chipper Blade Kit  
P/N: 72493  
Model: CH500H

UP TO 8"

### CH800H

- 8" Chipping Capacity
- 4 Reversible Chipping Blades
- 30" Rotor, 275 lbs.
- 4-Sided Adjustable Anvil
- Universal Attachment System
- Min. 25 gpm, Max. 38 gpm



Chipper Blade Kit  
P/N: 76293-00  
Model: CH800H

#### FEATURING:

HYDRAULIC FEED

A complete list of  
PARTS AND ACCESSORIES  
is on page 31



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

888-625-4520  
WWW.BEARCATPRODUCTS.COM



# LOG SPLITTERS

## FEATURING THE NEW LS22

Hard working machines that make quick work of any log up to 24" in length.

- **30" Bed Height for Comfort**
- **Vertical or Horizontal Position**
- **Commercial Grade Components**
- **Solid Welded Steel Construction**
- **Industrial Strength I-Beam Design**
- **Road Towable**
- **Collapsible Hitch for Convenient Storage**

For a complete list of parts & accessories, see page 31.

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty

**VIDEO ONLINE  
SEE IT IN ACTION!**



**LS22**  
Subaru SP170  
**Up to 22 Tons  
of Splitting Force**



**LS22**





# LOG SPLITTERS



## LS22 & LS27

- Horizontal or Vertical Operation
- Log Stripper Plate Standard
- Engine Guard Plate Standard
- 2-Stage, 14 gpm pump
- **LS22** 12 sec. Cycle Time  
4 gal. Hyd. System
- **LS27** 14 sec. Cycle Time  
4.5 gal. Hyd. System

**ECHO Bear Cat  
Log Splitters use  
ATF (Dexron III)  
in the hydraulic system  
for top performance in  
all weather conditions**



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31




**Log Splitter Cradle Kit**  
P/N: 77189-00



**Fenders & Tail Lights Kit**  
P/N: 77510-00



**4-Way Wedge Kit**  
P/N: 77514-00



**Quick Split Kit**  
P/N: 75896-00



**LS27**  
Subaru SP210  
**Up to 27 Tons  
of Splitting Force**

**LS27**



For more information on ECHO Bear Cat products, scan  
this QR code with your smartphone's QR code app.

**888-625-4520**  
**WWW.BEARCATPRODUCTS.COM**



# WHEELED TRIMMERS

## YOU CAN DEPEND ON THE POWER & PERFORMANCE!

This user-friendly family of wheeled trimmers are customizable to your most demanding trimming needs.

- **Solid Steel Body Construction**
- **24" Cutting Width**
- **Oversized Wheels For Easy Operation**
- **Balanced at the Handlebar For Comfort**
- **Adjustable Handlebar**

For a complete list of parts & accessories, see page 31.

**3 year\***  
**Consumer Warranty**  
\*U.S. & Canada Only



**WT190**



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# WHEELED TRIMMERS



## WT190

- Briggs & Stratton 190cc
- Push Model

### FEATURING:



### Off-Set Trim (WT190)

13 degrees of off-set to the left



Easily Install Trimmer Line  
Comes standard with  
.155" cutting line

## WT190T

- Briggs & Stratton 190cc
- Push Model
- Tilt Body/Cutting Head

### FEATURING:



**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only



### Tilt (WT190T)

Tilt – 3 positions, 5 degrees,  
10 degrees & 13 degrees

## WT190S

- Briggs & Stratton 190cc
- 3 Variable Speeds

### FEATURING:



14" Triple Blade Brush Cutter  
P/N: 32086-00



14" Sabre Tooth Blade  
P/N: 74548-00

A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



For more information on ECHO Bear Cat products, scan  
this QR code with your smartphone's QR code app.

888-625-4520  
**WWW.BEARCATPRODUCTS.COM**



# STUMP GRINDER

## DON'T GET CAUGHT BETWEEN A STUMP & A HARD PLACE

The SG340 utilizes twelve hardened carbide tipped cutting teeth rotating at 3,600 rpm for fast grinding, smooth cutting and smaller chips and debris. With the wheel base width at only 23", getting close to buildings or fitting through gate openings to access stumps is quick and easy.


- **Double-Banded Belt Driven Cutting Head**
- **12 Carbide-Tipped Cutting Teeth**
- **Large Flat-Free Tires**

For a complete list of parts & accessories, see page 31.

### SG340

- Honda GXV 340cc
- Double-Banded Belt Driven Cutting Head
- Fully Enclosed Housing
- Only 195 lbs.
- 23" Wheel Base

## VIDEO ONLINE SEE IT IN ACTION!





# WHEELED VACUUMS



## CLEANS UP LARGE AREAS QUICKLY

An ECHO Bear Cat Wheeled Vacuum is a great way for homeowners, commercial crews or municipalities to quickly and efficiently pick up leaves, grass or other light debris.

- **27" Intake Width**
- **5 Height Settings**
- **Recoil Start**
- **5 Bushel Capacity Bag**
- **Optional Vacuum Hose Kit**

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

For a complete list of parts & accessories, see page 31.

### WV160

- Honda GCV 160cc
- Push Drive

### WV160S

- Briggs & Stratton Professional Series 190cc
- 3 Variable Speeds



### WV190

- Briggs & Stratton Professional Series 190cc
- Push Drive

### WV190S

- Briggs & Stratton Professional Series 190cc
- 3 Variable Speeds



WV190



Shown with optional Caster Wheels and Vacuum Hose Kit



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

888-625-4520  
WWW.BEARCATPRODUCTS.COM



# DEBRIS LOADERS

## CLEAN UP ON-THE-GO

An ECHO Bear Cat Debris Loader allows commercial operators and municipalities to quickly pick up leaves, grass or other light debris as efficiently as possible.

- **Solid Welded Steel Fan Housings**
- **360° Discharge Tubes**
- **Hitch & Skid Mount Designs**
- **Commercial-Grade Hoses**
- **Optional Trailer for 12" Models With Storage Deck**

For a complete list of parts & accessories, see page 31.

**3** year\*  
Consumer  
Warranty  
\*U.S. & Canada Only

**1** year  
Commercial  
Warranty

**6** month  
Rental  
Warranty



**DL12653**



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



# DEBRIS LOADERS



## DL8390

- Honda GX 390cc
- Direct Drive
- Recoil Start
- 8" Intake Capacity
- 4-Blade/16" Fan
- 2,300 CFM
- Receiver Hitch Mount



**Swing Away Hitch Mount Kit**  
P/N: 75739-00  
Models: DL8390 & DL10570

## DL10570

- Briggs & Stratton Vanguard 570cc
- Direct Drive
- Recoil Start
- 10" Intake Capacity
- 4-Blade/16" Fan
- 2,500 CFM
- Receiver Hitch Mount



A complete list of  
**PARTS AND ACCESSORIES**  
is on page 31



**16" Vertical Chute Extension**  
P/N: 75888-00  
Models: All Debris Loaders



**4' Flexible Horizontal Chute Extension**  
P/N: 74737-00  
Models: All Debris Loaders

## DL12653

- Subaru EH 653cc
- Direct Drive
- 12" Intake Capacity
- 4-Blade/20" Fan
- 3,400 CFM
- Skid Mount

**FEATURING:**



**12 Volt Work Light Kit**  
P/N: 77105-00


Models: D12653 & DL12720



## DL12720

- Subaru EH 720cc
- Double Banded
- 12" Intake Capacity
- 4-Blade/20" Fan
- 3,400 CFM
- Skid Mount

**FEATURING:**



**Universal Road Towable Trailer Kit**  
P/N: 77041-00  
Models: DL12653 & DL12720

\*Batteries are not shipped with Debris Loaders and will need to be purchased separately.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

**888-625-4520**  
**WWW.BEARCATPRODUCTS.COM**



## CHIPPER/SHREDDERS

### What are these machines designed for?

ECHO Bear Cat chipper/shredders are designed to effectively reduce the volume of wood, leaves and other organic material.

### When should I chip?

If you don't plan on composting the material, material is green and stringy or larger than 3/4" in capacity.

### When should I shred?

If you plan on composting or if the material is smaller than 3/4", use the shredder. Shredding is also an efficient way to reduce the volume of leaves or prunings.

### How long will the blades last between sharpenings?

Depending on the type of wood, age and cleanliness, chipper blades will work well for between 5-15 hours. Dry, dirty wood will dull the blades faster. Alternate dry and wet material to extend blade life.

### What size material will these machines chip or shred? SC2170

Max. chipping material size up to 2" capacity

Max. shredding material size up to 3/4" capacity

### 3" Chipper/Shredders

Max. chipping material size up to 3" capacity

Max. shredding material size up to 3/4" capacity

### 5" Chipper/Shredders

Max. chipping material size up to 5" capacity

Max. shredding material size up to 3/4" capacity

**Do not attempt to put material larger than 3/4" capacity into the shredder hopper. Doing so may cause machine failure and will void the warranty.**

### How many debris screens are available?

#### SC2170 - 3

.75", 1.13" (standard) and a wet debris.

#### 3" Chipper/Shredders - 4

.375", .75", 1.375" (standard) and a wet debris.

#### SC5540 - 4

.375", .75", 1.5" (standard) and a wet debris.

### Are these screens for all chipper/shredder models?

No. The SC5540B and SC5720B have five shredder settings that are regulated by an adjustable gate, which controls output.

## CHIPPERS

### What are these machines designed for?

ECHO Bear Cat chippers are designed to effectively reduce the volume of wood, branches, and other organic material.

### What type of chippers are available?

ECHO Bear Cat makes chippers with gravity or hydraulic feed, powered by an engine package, a tractor PTO or a skid steer loader. A hydraulic feed machine has a hydraulic driven feed roller to efficiently feed branches to the chipper rotor maximizing efficiency of the machine.

### When should I buy a gravity feed machine?

If you have an infrequent need for a chipper and time is not a factor, a gravity feed machine will fit your needs well.

### When should I buy a hydraulic feed machine?

If time or efficiency is an issue, a hydraulic feed chipper allows you to be more productive.

### How long will the blades last between sharpenings?

Depending on the type of wood, age and cleanliness, chipper blades will work well for between 5-15 hours. Dry, dirty wood will dull the blades faster. Alternate dry and wet material to extend blade life. Hydraulic feed chippers will have longer blade life.

### How difficult is it to perform maintenance on the machine?

ECHO Bear Cat products are designed with ease of maintenance in mind. Proper maintenance is vital and should be performed routinely with blades, belts and bearings being most important.

### Online Information

For more information on ECHO Bear Cat products or to locate your nearest dealer, scan this QR code with your smartphone's QR code app.



### Online Support

For more information on ECHO Bear Cat support and the latest manuals, scan this QR code with your smartphone's QR code app.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



## REUSABLE VINYL EARPLUGS WITH CASE

The handy carrying case can be worn on your belt when not in use. Cleanup is easy with just warm water. ANSI and OSHA approved.

P/N: 31539-00



## EAR MUFFS

These light-weight ear muffs have an NRR of 29 dB(A) when used as directed and meet ANSI standard 3.19.

P/N: 36775-00



## SAFETY GLASSES

Lightweight and impact resistant. Hard-coated optical-grade, abrasion resistant lenses. Polycarbonate lenses offer 99.9% protection from the most intense UV rays.



Tech Glasses

P/N: 36773-00



Zone II Glasses

P/N: 36774-00

## HELMET SYSTEM

Includes helmet, mesh face visor and ear protection.

P/N: 36776-00



## PREMIUM SAFETY VEST

Highly visible vest features 5-point tear away panels for safety.

P/N: 36777-00 (large)

P/N: 36778-00 (xlarge)

P/N: 36779-00 (xxlarge)



## VIBRATION-REDUCING SPORT/LANDSCAPE GLOVES

Premium, padded-leather-palm gloves help reduce vibration. Also feature formfitting fingers and Velcro®-type wrist band for tight fit.

P/N: 31299-00 (large)

P/N: 31300-00 (xlarge)



TO FIND A DEALER IN YOUR AREA FOR PURCHASING, SIMPLY LOG ON TO  
[www.bearcatproducts.com](http://www.bearcatproducts.com)



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

888-625-4520  
[WWW.BEARCATPRODUCTS.COM](http://WWW.BEARCATPRODUCTS.COM)



CHIPPER/SHREDDERS							
	SC2170	SC3206	SC3265	SC3305	SC3305E	SC3342	SC5720B
Engine	Subaru SP 170cc	B&S OHV 206cc	Suabru EX 265cc	B&S OHV 305cc	B&S OHV 305cc	B&S OHV 342cc	Subaru EH 720cc
Starter Type	Recoil	Recoil	Recoil	Recoil	Electric	Recoil	Electric
Max. Chipping Capacity	2"	3"	3"	3"	3"	3"	5
Max. Shredding Capacity	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Chip. Chute Throat	2" x 2"	3" x 3"	3" x 3"	3" x 3"	3" x 3"	3" x 3"	5.25" x 5.25"
Shred. Hopper Opening	16" x 20"	12" x 25"	12" x 25"	12" x 25"	12" x 25"	12" x 25"	13" x 18"
Chipping Blades	2 Reversible	2 Reversible	2 Reversible	2 Reversible	2 Reversible	2 Reversible	4 Reversible
Shredding Knives	4 Standard (4 Optional)	8	12	12	12	12	36
Drive Type	Direct	Single Belt	Dual Wrapped Belts	Single Belt	Single Belt	Dual Wrapped Belts	Double-Banded
Rotor Size/Weight	12.8"/15 lbs.	12"/21 lbs.	12"/27 lbs.	12"/27 lbs.	12"/27 lbs.	12"/27 lbs.	20.6"x.75"/121 lbs.
Dimensions (LxWxH)	29 x 23 x 50 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	40 x 25 x 46 in.	92" x 52" x 92"
Weight	120	195	250	228	240	263	930

CHIPPERS				
	CH4400	CH5653	CH611DH	CH6730H
Engine	Subaru EX 404cc	Subaru EH 653cc	Kubota Diesel 1.1 Liter	Kohler Command Pro 730cc
Starter Type	Recoil	Electric	Electric	Electric
Max. Chipping Capacity	4"	5"	6"	6"
Chute Opening	13" x 15"	27" x 28"	33" x 37"	33" x 37"
Chute Throat	5" x 5"	5.5" x 6"	6.5" x 13"	6.5" x 13"
Rotor Size/Weight	Cantilever 14" x 1"/49 lbs.	20" x 1.25"/140 lbs.	Cantilever 26" x 1"/165 lbs.	Cantilever 26" x 1"/165 lbs.
Chipping Blades	2 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated
Drive Belt	Double-Banded	Double-Banded	Triple-Banded	Triple-Banded
Feed System	Gravity/Self Feed	Gravity/Self Feed	Hydraulic	Hydraulic
Hydraulic Controller	N/A	N/A	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed
Machine Dimensions (LxWxH)	75" x 51" x 45"	80" x 57" x 95"	143" x 59" x 93"	126" x 57" x 104"
Wheels/Tires	4.8-8	5.3-12	P215-75R15	P205-75R14
Wheel Base	43"	44"	50"	50"
Weight	536 lbs.	950 lbs.	2,300 lbs.	1,635 lbs.

	CH8720iH	CH8993H	CH911DH	CH922DH
Engine	EFI Subaru EH 720cc	B&S Vanguard 993cc	Kubota Diesel 1.1 Liter	Kubota Diesel 2.2 Liter
Starter Type	Electric	Electric	Electric	Electric
Max. Chipping Capacity	8"	8"	9"	9"
Feed Chute Opening	30" x 31"	30" x 31"	30" x 31"	30" x 31"
Feed Chute Throat	9" x 9"	9" x 9"	9" x 9"	9" x 9"
Rotor Size/Weight	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.
Chipping Blades	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated
Drive Belt	Triple-Banded	Triple-Banded	Triple-Banded	Triple-Banded
Feed System	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Hydraulic Controller	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed
Machine Dimensions (LxWxH)	136" x 79" x 95"	136" x 79" x 95"	119" x 79" x 96"	119" x 79" x 96"
Wheels/Tires	P215-75R15	P215-75R15	P215-75R15	P215-75R15
Wheel Base	69"	69"	69"	69"
Weight	2,225 lbs.	2,350 lbs.	2,480 lbs.	2,700 lbs.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



## PTO CHIPPERS AND CHIPPER/SHREDDERS

	SC5540	SC5540B	CH45540	CH5540
PTO Input Power Range	25-45 hp	25-45 hp	15-28 hp	25-45 hp
Max. Chipping Capacity	5"	5"	4.5"	5"
Max. Shredding Capacity	3/4"	3/4"	N/A	N/A
Chipper Chute Opening	9" x 9"	9" x 9"	13" x 14.5"	28" x 28"
Chipper Chute Throat	5.25" x 5.25"	5.25" x 5.25"	4.5" x 5"	5.5" x 7.5"
Shredder Chute Opening	20" x 30"	13" x 20"	N/A	N/A
Rotor Size/Weight	19" x .75"/112 lbs.	20.6" x .75"/145 lbs.	Cantilever 14" x 1"/49 lbs.	20" x 1.25"/140 lbs.
Chipping Blades	4 Reversible Heat-treated	4 Reversible Heat-treated	2 Reversible Heat-treated	4 Reversible Heat-treated
Shredding Knives	36	36	N/A	N/A
Drive Belt	Double-Banded	Double-Banded	Double-Banded	Double-Banded
Feed System	Gravity/Self Feed	Gravity/Self Feed	Gravity/Self Feed	Gravity/Self Feed
Machine Dimensions (LxWxH)	44" x 43" x 48"	49" x 50" x 87"	40" x 41" x 44"	50" x 45" x 90"
Weight	450	720	361	600

	CH5540H	CH8540	CH9540H	CHF9540H
PTO Input Power Range	25-45 hp	35-60 hp	35-60 hp	35-60 hp
Max. Chipping Capacity	5"	8"	9"	9"
Max. Shredding Capacity	N/A	N/A	N/A	N/A
Chipper Chute Opening	28" x 28"	30" x 31"	30" x 31"	30" x 31"
Chipper Chute Throat	5.5" x 7.5"	9" x 9"	9" x 9"	9" x 9"
Shredder Chute Opening	N/A	N/A	N/A	N/A
Rotor Size/Weight	20" x 1.25"/140 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.	30" x 1.25"/275 lbs.
Chipping Blades	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated	4 Reversible Heat-treated
Drive Belt	Dual Belts	Triple-Banded	Triple-Banded	Triple-Banded
Feed System	Hydraulic	Gravity/Self Feed	Hydraulic	Hydraulic
Hydraulic Controller	N/A	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed	Plus+1® Controller w/Auto Feed
Machine Dimensions (LxWxH)	68" x 49" x 90"	54" x 47" x 93"	70" x 50" x 93"	70" x 61" x 63"
Weight	980	886	1,300	1,300

## SKID STEER MOUNT CHIPPERS

	CH450H	CH500H	CH800H
Max. Chipping Capacity	4.5"	5"	8"
Power Source	Mini Skid Steer 11-15 gpm	15-22 gpm Standard Flow	25-38 gpm High Flow
Rotor Size/Weight	Cantilever, 14" x 1"/49 lbs. rotates at: 2,700 rpm at 11 gpm, 3,700 at 15 gpm	20" x 1.25"/140 lbs., rotates at: 2,700 rpm at 15 gpm, 4,000 rpm at 22 gpm	30" x 1.25"/275 lbs., rotates at: 1,600 rpm at 25 gpm, 2,500 rpm at 38gpm
Machine Dimensions (LxWxH)	41" x 28" x 40"	73" x 53" x 93"	74" x 60" x 88"
Chipping Blades	2 reversible steel blades with 4-sided adjustable anvil	4 reversible steel blades with 4-sided adjustable anvil	4 reversible steel blades with 4-sided adjustable anvil
Feed System	Gravity/Self Feed	Hydraulic Feed	Hydraulic Feed
Chipper Chute Opening	12" x 13"	27" x 28"	30" x 31"
Chipper Chute Throat	4.5" X 4.5"	5.5" x 7"	9" X 9"
Weight	359 lbs.	1,145 lbs.	1,525 lbs.



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.

888-625-4520  
WWW.BEARCATPRODUCTS.COM



# SPECS

Log Splitters		
	LS22	LS27
Engine	Subaru SP 170cc	Subaru SP 210cc
Starter Type	Recoil	Recoil
Tonnage	22	27
Cylinder (Bore x Stroke)	4" x 24"	4.5" x 24"
Max. Log Length	24"	24"
Dimensions (LxWxH)	84" x 39" x 40"	84" x 39" x 40"
Weight	450 lbs.	455 lbs.
Cycle Time	12 Seconds	14 Seconds
Hyd. Tank Capacity	4 gal.	4.5 gal.
Hyd. Pump	2-stage/14 gpm	2-stage/14 gpm

Wheeled Trimmers			
	WT190	WT190T	WT190S
Engine	Briggs & Stratton Quantum 190cc	Briggs & Stratton Quantum 190cc	Briggs & Stratton Quantum 190cc
Starter Type	Recoil	Recoil	Recoil
Drive	Push	Push	3 Sp. Self-Propelled
Cutting Height	1-7/8" & 2-3/4"	1-7/8" & 2-3/4"	1-7/8" & 2-3/4"
Trimming Features	Off-Set Trim	Tilt-n-Trim	N/A
Dimensions (LxWxH)	50" x 21" x 38"	50" x 21" x 38"	50" x 21" x 38"
Weight	77 lbs.	77 lbs.	82 lbs.

Stump Grinder	
	SG340
Engine	Honda GXV 340 cc
Starter Type	Recoil
Drive Type	Double-banded Belt
Cutting Teeth	12 - Carbide Tipped
Cutter Head	7" Dia.
Cutter Head RPM	3,600
Dimensions (LxWxH)	52" x 23" x 44"
Weight	195 lbs.
Wheels	16" Flat Free

Wheeled Vacuums				
	WV160	WV160S	WV190	WV190S
Engine	Honda GCV 160cc	Honda GCV 160cc	Briggs & Stratton Pro Series 190cc	Briggs & Stratton Pro Series 190cc
Starter Type	Recoil	Recoil	Recoil	Recoil
Drive	Push	3 Sp. Self-Propelled	Push	3 Sp. Self-Propelled
Vacuum Height	.25" - 4.5"	.25" - 4.5"	.25" - 4.5"	.25" - 4.5"
Fan Rotor	5 blade steel	5 blade steel	5 blade steel	5 blade steel
Intake Width	27"	27"	27"	27"
Bag Capacity	5 bushel	5 bushel	5 bushel	5 bushel
Dimensions (LxWxH)	61" x 27" x 46"	61" x 27" x 46"	61" x 27" x 46"	61" x 27" x 46"
Weight	108 lbs.	121 lbs.	113 lbs.	126 lbs.

Debris Loaders				
	DL8390	DL10570	DL12653	DL12720
Engine	Honda GX 390cc	B&S Vanguard 570cc	Subaru EH 653cc	Subaru EH 720cc
Starter Type	Recoil	Recoil	Electric	Electric
Drive	Direct	Direct	Direct	Double-Banded Belt
Intake Dia.	8"	10"	12"	12"
Hose Length	12'	12'	12'	12'
Fan Capacity	4-Blade/16"	4-Blade/16"	4-Blade/20"	4-Blade/20"
CFM	2300	2500	3400	3400
Dimensions (LxWxH)	35" x 25" x 58"	35" x 25" x 58"	30" x 50" x 86"	30" x 50" x 86"
Weight	280 lbs.	280 lbs.	595 lbs.	675 lbs.
Mount Type	Receiver Hitch	Receiver Hitch	Skid Mount	Skid Mount

## STAY CONNECTED!



Keep up with the latest in ECHO Bear Cat  
News, Demonstrations and Equipment!



For more information on ECHO Bear Cat products, scan this QR code with your smartphone's QR code app.



## CHIPPER/SHREDDERS

### SC2170

Standard Screen 1.13"  
P/N: 76758-35

Fine Screen .75"  
P/N: 76893-35

Wet Debris Screen  
P/N: 77639-35

Shredder Knives Kit  
P/N: 77616-00

Additional Shredder  
Knives Kit  
P/N: 77618-00

Chipper Blade Kit  
P/N: 70738

### All 3" CHIPPER/SHREDDERS

Two-Wheel Tow Kit  
P/N: 77000-00

Leaf Tamper  
P/N: 70089

Debris Bag with Handles  
P/N: 17854

All Weather Cover  
P/N: 70093

Chipper Blade Kit  
P/N: 70738

Road Towable  
Chipper/Shredder Trailer  
P/N: 77353-00

Supplemental Adapter Kit for  
models SC2365, SC3305,  
SC3305 & SC3305E  
Serial C03477 & below  
P/N: 77700-00

Supplemental Adapter Kit  
for model SC3206 Serial  
C03477 and below  
P/N: 77701-00

### SC3206

Screen - Fine .375"  
P/N: 77382-12

Screen - Medium .75"  
77383-12

Screen - Coarse (Standard)  
1.375"  
P/N: 77384-12

Screen - Wet Debris  
P/N: 77385-12

Shredder Knives Kit  
P/N: 77589-00

SC3265, SC3305,  
SC3305E, SC3342  
Screen - Fine .375"  
P/N: 77386-12

Screen - Medium .75"  
P/N: 77387-12

Screen - Coarse (Standard)  
1.375"  
P/N: 77388-12

Screen - Wet Debris  
P/N: 77389-12

Blower Attachment  
P/N: 70251

Shredder Knives Kit  
P/N: 70973

### SC5720B

Chipper Blade Kit  
P/N: 72493

Shredder Knives Kit  
P/N: 77613-00

**Looking for a  
service part?**

Find your parts manual  
online for a complete list  
[www.bearcatproducts.com](http://www.bearcatproducts.com)

## CHIPPERS

### Blade Kits:

CH611DH, CH6730H,  
CH8720iH, CH8993H  
CH911DH & CH922DH  
P/N: 76293-00

CH4400  
P/N: 76295-00

CH5653  
P/N: 72493

4.5"x 4.5" Discharge Chute  
CH4400  
P/N: 74634-00

Low Profile Discharge Chute  
CH8720iH, CH8993H,  
CH911DH, CH922DH &  
CH9540H  
P/N: 74581-00

Hour/Tach Kit - Gas  
All Gas Engines  
P/N: 31605-00

Hour Meter Kit - Diesel  
All Diesel Engines  
P/N: 71921

2 5/16" Coupler  
CH611DH, CH6730H,  
CH8720iH, CH8993H,  
CH911DH, CH8993H,  
CH911DH, CH922DH  
P/N: 14519-00

2" Coupler 5,000 lbs.  
CH911DH, CH922DH  
P/N: 77232-00

Pintle Hitch  
CH611DH, CH6730H  
CH8720iH & CH8993H  
P/N: 14900-00

Spare Tire Kit  
CH611DH & CH6730H  
P/N: 75291-00

Knee Bars  
CH611DH & CH6730H  
P/N: 76945-00

CH8720iH, CH8993H,  
CH911DH & CH922DH  
P/N: 76195-00

Fine Chip Rotor Kit  
CH911DH & CH922DH  
P/N: 76775-00

Adjustable Feed  
Speed Sensor Kit  
CH6730H  
P/N: 76820-00

Electric Brakes  
CH911DH & CH922DH  
P/N: 72730

## STUMP GRINDER

### SG340

12 Tooth Cutter  
Replacement Kit  
P/N: 76292-00

## PTO MODELS

### Blade Kits

CH45540, CH450H  
P/N: 76295-00

CH5540, CH5540H,  
CH500H, SC5540 &  
SC5540B  
P/N: 72493

CH8540 & CH9540H  
P/N: 76293-00

CHF9540H  
P/N: 74830-00

Auto Feed Replacement Kit  
CH5540H  
P/N: 73071

Discharge Chute  
4.5" x 4.5"  
CH45540  
P/N: 74634-00

Low Profile  
Discharge Chute  
CH8540 & CH9540H  
P/N: 74581-00

Fine Chip Rotor Kit  
CH9540H & CHF9540H  
P/N: 76775-00

Shredder Knife Kit  
SC5540 & SC5540B  
P/N: 70972

SC5540  
Vacuum Hose Kit  
P/N: 71125  
(requires P/N: 71110)

Two-Speed Blower  
P/N: 71110

Single-Speed Blower  
P/N: 70487

Fine Screen .375"  
P/N: 70703

Medium Screen .75"  
P/N: 70531

Standard Screen 1.5"  
P/N: 70332

Wet Debris Screen  
P/N: 70559

## WHEELED VACUUMS

WV160, WV160S,  
WV190 & WV190S  
Replacement Debris Bag  
P/N: 31339-00

Caster Wheels Kit  
P/N: 76967-00

Hose Kit  
P/N: 73606-00

Vacuum Nozzle Wear Plate Kit  
P/N: 73640-00

Vacuum Wear Liner  
P/N: 76466-00

## WHEELED TRIMMERS

WT190, WT190T  
& WT190S

.130" Diameter Line  
Round, 10 pack  
P/N: 72777

Round, 1 lb. Donut  
P/N: 12388

Square, 10 pk.  
P/N: 72778

Square, 1 lb. Donut  
P/N: 12389

.155" Diameter Line  
Round, 10 pk.  
P/N: 72780

Round, 1 lb. Donut  
P/N: 12390

Square, 10 pk.  
P/N: 72779

Square, 1 lb. Donut  
P/N: 12391

10 Pack, 20" pre-cut length  
P/N: 32029-00

## CROSSFIRE® LINE .175" Diameter

10 pack  
20" pre-cut length  
P/N: 32031-00

75' Donut  
P/N: 32033-00

3 lb. Spool  
P/N: 32035-00

14" Sabre Tooth Blade  
P/N: 74548-00

14" Triple Blade  
Brush Cutter  
P/N: 32086-00

Nylon Blade Kit  
P/N: 73060

Proline Head  
P/N: 74891-00

Heat-Treated Mow Ball  
P/N: 72704-12

## LOG SPLITTERS

### LS22 & LS27

Log Splitter Cradle Kit  
P/N: 77189-00

Quick Split Kit  
P/N: 75896-00

Fenders & Tail Lights Kit  
P/N: 77510-00

4-Way Wedge Kit  
P/N: 77514-00

## DEBRIS LOADERS

### DL8390, DL10570

Wear Liner Replacement Kit  
P/N: 75768-00

4' Flexible  
Horizontal Chute Extension  
P/N: 74737-00

16" Vertical Chute Extension  
P/N: 75888-00

Swing Away Hitch Mount Kit  
P/N: 75739-00

Tailgate Adapter Kit  
P/N: 75753-00



### DL12653, DL12720

Wear Liner Replacement Kit  
P/N: 77073-00

4' Flexible  
Horizontal Chute Extension  
P/N: 74737-00

16"  
Vertical Chute Extension  
P/N: 75888-00

Universal Road Towable  
Trailer Kit  
P/N: 77041-00

12 Volt Work Light Kit  
P/N: 77105-00

Flexible Hose 12" x 12'  
P/N: 12778



For more information on ECHO Bear Cat products, scan  
this QR code with your smartphone's QR code app.





**ECHO Bear Cat • 237 12th St. NW, West Fargo, ND 58078**

**For customer service or for your nearest  
ECHO Bear Cat dealer call 888.625.4520  
For International call 701.282.5520**

Specifications, descriptions and illustrative material in this literature is as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment

©2014 ECHO Bear Cat, a subsidiary of ECHO Incorporated  
All Rights Reserved. Printed in the U.S.

#31768-00 • 11/13

